

Continued from previous page

+ For swivel models add "S", for rigid model add "R" to end of base caster number.



**X-Treme™ Plus Solid Polyurethane (01 Roller Bearing)\***

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
XP	4	2	1250	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	5	16XP04201
	5	2	1200	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>2</sub>	16XP05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	16XP06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	8	16XP08201

\*Drawn Cup Roller (02), Bronze (22), Pedestal Precision (29), and Delrin (51) bearings available. Change "01" to other bearing code. Pedestal Precision example: 16XP04229.

**Phenolic (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
TM	3 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>2</sub>	600	4 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	4 <sup>1</sup> / <sub>2</sub>	16TM03101
	3 <sup>1</sup> / <sub>4</sub>	2	700	4 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	4 <sup>1</sup> / <sub>2</sub>	16TM03201
	4	1 <sup>1</sup> / <sub>2</sub>	600	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>2</sub>	16TM04101
	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	5	16TM04201
	5	1 <sup>1</sup> / <sub>2</sub>	600	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>4</sub>	16TM05101
	5	2	1000	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>4</sub>	16TM05201
	6	1 <sup>1</sup> / <sub>2</sub>	800	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>2</sub>	16TM06101
	6	2	1200	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	16TM06201
8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	8	16TM08201	

**Straight Sided Phenolic (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
TH	4	2	1000	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	5	16TH04201
	5	2	1200	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>2</sub>	16TH05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	16TH06201

**Maxim® (01 Roller Bearing)\***

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
NG	3 <sup>1</sup> / <sub>4</sub>	2	700	4 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	5	16NG03201
	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	5	16NG04201
	5	2	1000	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>2</sub>	16NG05201
	6	2	1200	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	16NG06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	8	16NG08201

Prevenz™ antimicrobial models available. Add PREV to end of caster number. \*Drawn Cup Roller (02), Bronze (22), Pedestal Precision (29), and Delrin (51) bearings available. Change "01" to other bearing code. Pedestal Precision example: 16NG04229.

**Glass Filled Polypropylene (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
RT	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>		16RT04201
	5	2	1000	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>		16RT05201
	6	2	1200	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>		16RT06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>		16RT08201

**Heavy Duty Glass Filled Nylon (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
DT	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>		16DT04201
	5	2	1200	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>		16DT05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>		16DT06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>		16DT08201

**High Temp Glass Filled Nylon (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
HT	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>		16HT04201
	5	2	1000	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>		16HT05201
	6	2	1200	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>		16HT06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>		16HT08201

**Trionix™ High Impact Polymer (28 Precision Ball Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
NX	4	2	1250	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	7	16NX04228
	5	2	1250	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	8	16NX05228
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	16NX06228
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	10	16NX08228

+ For swivel models add "S", for rigid model add "R" to end of base caster number.



**Solid Elastomer (28 Precision Ball Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
SE	4	2	1000	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	7	16SE04228
	5	2	1000	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	8	16SE05228
	6	2	1100	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	16SE06228
	8	2	1200	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	10	16SE08228

**White Nylon (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
NW	5	2	600	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	6	16NW05201
	6	2	900	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	7	16NW06201
	8	2	1100	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>2</sub>	16NW08201

**Cast Iron (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
CA	3 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>2</sub>	400	4 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	4 <sup>1</sup> / <sub>2</sub>	16CA03101
	3 <sup>1</sup> / <sub>4</sub>	2	700	4 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	6 <sup>3</sup> / <sub>4</sub>	16CA03201
	4	1 <sup>1</sup> / <sub>2</sub>	600	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	6	16CA04101
	4	1 <sup>7</sup> / <sub>8</sub>	1000	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	7	16CA04201
	5	1 <sup>1</sup> / <sub>2</sub>	600	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>4</sub>	16CA05101
	5	1 <sup>7</sup> / <sub>8</sub>	1250	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	8	16CA05201
	6	1 <sup>1</sup> / <sub>2</sub>	800	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>4</sub>	16CA06101
	6	1 <sup>7</sup> / <sub>8</sub>	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	16CA06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>2</sub>	16CA08201

**Heavy Duty Cast Iron (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
CH	5	2	1250	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	9	16CH05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	11	16CH06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	14	16CH08201

**Dropped Forged Steel (01 Roller Bearing)\***

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
FS	4	1 <sup>1</sup> / <sub>2</sub>	1250	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	7	16FS04101
	5	1 <sup>3</sup> / <sub>4</sub>	1250	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	8 <sup>3</sup> / <sub>4</sub>	16FS05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	16FS06201

\*Tapered Roller bearings (09) available. Change "01" to other bearing code. (Example: 16FS04109).

**V-Grooved Cast Iron (01 Roller Bearing)\***

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
VG	4	2	800	5 <sup>5</sup> / <sub>8</sub>	1 <sup>11</sup> / <sub>16</sub>	7	16VG04201
	5	2	800	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	8 <sup>3</sup> / <sub>4</sub>	16VG05201
	6	2	1000	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	9 <sup>3</sup> / <sub>4</sub>	16VG06201

\*Tapered Roller bearings (09) available. Change "01" to other bearing code. (Example: 16VG04109).

**Ductile Iron Crowned Tread (01 Roller Bearing)**

Model	Wheel Dia.	Tread Wd.	Capacity	Overall Hgt.	Swivel Lead	Approx. Wt.	Base Caster Number
FR, FM	5	2	1250	6 <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> / <sub>8</sub>	9	16FR05201
	6	2	1250	7 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	11	16FR06201
	8	2	1250	9 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>4</sub>	14	16FR08201

\*Tapered Roller bearings (09) and Precision Ball (28) available. Tapered Roller example: 16FR05209.

Note: Ductile Iron Flat Tread (FM) models available. Change FR wheel code to FM. Example: 12FM05201.

**Optional Overall Heights all 16 Series Models:**

Wheel Dia.	Overall Height	Swivel Lead	Swivel Specify	Rigid Specify	Wheel Dia.	Overall Height	Swivel Lead	Swivel Specify	Rigid Specify
3-1/4"	5-1/4"	1-11/16"	HS42	HR42	6"	6-7/8"	2-1/2"	HS56	HR56
4"	5-1/4"	1-11/16"	HS86	HR86	6"	7-3/8"	1-3/4"	HS59	HR59
5"	6-1/8"	1-11/16"	HS50	HR50	6"	7-1/2"	1-7/8"	HS60	HR60
5"	6-3/4"	1-3/4"	HS54	HR54	8"	10"	1-3/4"	HS81	HR81