

RAZER (RZ)

TOP PLATE MODELS

FREE SWIVEL • TOTAL LOCK



Grey Rubber Wheel (GRP)



Grey TPR Wheel Model (TPP)

APPLICATIONS

- Laundry Hampers
- Mobile Hospital Furniture
- Bassinets
- Hospital
- Chairs/ Recliners
- Home Healthcare Beds

FEATURES

- Economical
- Polished chrome finish
- Double ball swivel raceways for added strength
- **Total Lock Brake** models lock both swivel and wheel
- Full thread guards for added protection (except 2" diameter models)

Available in powder coated colors. Consult factory for minimum order quantities.



SWIVEL TOP PLATE MODELS

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2-13/16" (71) | 1.95" (50) | Plain | RZ-02GRN-070-SW-TP06 |
| 2 | 3/4" | Grey Rubber | 110 | 2-13/16" (71) | 1.95" (50) | Ball Bearing | RZ-02GRP-070-SW-TP06 |
| 2 | 3/4" | Grey TPR | 110 | 2-13/16" (71) | 1.95" (50) | Plain | RZ-02TPN-070-SW-TP06 |
| 3 | 7/8" | Grey Rubber | 140 | 4.07" (103) | 2.85" (73) | Ball Bearing | RZ-03GRP-090-SW-TP05 |
| 3 | 7/8" | Grey TPR | 140 | 4.07" (103) | 2.85" (73) | Ball Bearing | RZ-03TPP-090-SW-TP05 |
| 4 | 7/8" | Grey Rubber | 160 | 4.92" (125) | 3.35" (85) | Ball Bearing | RZ-04GRP-090-SW-TP05 |
| 4 | 7/8" | Grey TPR | 160 | 4.92" (125) | 3.35" (85) | Ball Bearing | RZ-04TPP-090-SW-TP05 |
| 5 | 7/8" | Grey Rubber | 165 | 6.04" (153) | 3.84" (98) | Ball Bearing | RZ-05GRP-090-SW-TP05 |
| 5 | 7/8" | Grey TPR | 165 | 6.04" (153) | 3.84" (98) | Ball Bearing | RZ-05TPP-090-SW-TP05 |

SWIVEL TOP PLATE TOTAL LOCK MODELS


(LOCKS WHEEL AND SWIVEL)

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2-13/16" (71) | 3.23" (82) | Plain | RZ-02GRN-070-TL-TP06 |
| 2 | 3/4" | Grey Rubber | 110 | 2-13/16" (71) | 3.23" (82) | Ball Bearing | RZ-02GRP-070-TL-TP06 |
| 2 | 3/4" | Grey TPR | 110 | 2-13/16" (71) | 3.23" (82) | Plain | RZ-02TPN-070-TL-TP06 |
| 3 | 7/8" | Grey Rubber | 140 | 4.07" (103) | 3.90" (104) | Ball Bearing | RZ-03GRP-090-TL-TP05 |
| 3 | 7/8" | Grey TPR | 140 | 4.07" (103) | 3.90" (104) | Ball Bearing | RZ-03TPP-090-TL-TP05 |
| 4 | 7/8" | Grey Rubber | 160 | 4.92" (125) | 4.19" (107) | Ball Bearing | RZ-04GRP-090-TL-TP05 |
| 4 | 7/8" | Grey TPR | 160 | 4.92" (125) | 4.19" (107) | Ball Bearing | RZ-04TPP-090-TL-TP05 |
| 5 | 7/8" | Grey Rubber | 165 | 6.04" (153) | 4.19" (107) | Ball Bearing | RZ-05GRP-090-TL-TP05 |
| 5 | 7/8" | Grey TPR | 165 | 6.04" (153) | 4.19" (107) | Ball Bearing | RZ-05TPP-090-TL-TP05 |



TOP PLATE FITTING

Swivel Top Plate Pattern



RAZER (RZ)

HOLLOW KINGPIN MODELS

FREE SWIVEL • TOTAL LOCK



Grey Rubber Wheel (GRP)

Grey TPR Wheel Model (TPP)

APPLICATIONS

- Laundry Hampers
- Mobile Hospital Furniture
- Bassinets
- Hospital
- Chairs/ Recliners
- Home Healthcare Beds

FEATURES

- Economical
- Polished chrome finish
- Double ball swivel raceways for added strength
- **Total Lock Brake** models lock both swivel and wheel
- Full thread guards for added protection (except 2" diameter models)

HOLLOW KINGPIN MODELS

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02GRN-070-SW-HK04 |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Ball Bearing | RZ-02GRP-070-SW-HK04 |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02TPN-070-SW-HK04 |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03GRP-090-SW-HK04 |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03TPP-090-SW-HK04 |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04GRP-090-SW-HK04 |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04TPP-090-SW-HK04 |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05GRP-090-SW-HK04 |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05TPP-090-SW-HK04 |



HOLLOW KINGPIN TOTAL LOCK MODELS

(LOCKS WHEEL AND SWIVEL)

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02GRN-070-TL-HK04 |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Ball Bearing | RZ-02GRP-070-TL-HK04 |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02TPN-070-TL-HK04 |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03GRP-090-TL-HK04 |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03TPP-090-TL-HK04 |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04GRP-090-TL-HK04 |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04TPP-090-TL-HK04 |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05GRP-090-TL-HK04 |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05TPP-090-TL-HK04 |




HOLLOW RIVET

Recommended for use with 3/8" and M10 diameter fittings. Caster comes assembled.

RAZER (RZ)

GRIP RING STEM MODELS

FREE SWIVEL • TOTAL LOCK



Grey TPR Wheel Model (TPP)

Grey Rubber Wheel (GRP)

APPLICATIONS

- Laundry Hampers
- Mobile Hospital Furniture
- Bassinets
- Hospital
- Chairs/ Recliners
- Home Healthcare Beds

FEATURES

- Economical
- Polished chrome finish
- Double ball swivel raceways for added strength
- **Total Lock Brake** models lock both swivel and wheel
- Full thread guards for added protection (except 2" diameter models)

Available in powder coated colors. Consult factory for minimum order quantities.



GRIP RING STEM MODELS

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|---------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02GRN-070-SW-___ |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Ball Bearing | RZ-02GRP-070-SW-___ |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02TPN-070-SW-___ |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03GRP-090-SW-___ |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03TPP-090-SW-___ |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04GRP-090-SW-___ |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04TPP-090-SW-___ |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05GRP-090-SW-___ |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05TPP-090-SW-___ |



GRIP RING STEM TOTAL LOCK MODELS

(LOCKS WHEEL AND SWIVEL)

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|---------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02GRN-070-TL-___ |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Ball Bearing | RZ-02GRP-070-TL-___ |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02TPN-070-TL-___ |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03GRP-090-TL-___ |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03TPP-090-TL-___ |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04GRP-090-TL-___ |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04TPP-090-TL-___ |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05GRP-090-TL-___ |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05TPP-090-TL-___ |



GRIP RING STEM FITTINGS

See fittings page for more options.



Specify Grip Ring Stem (GR) code, see fittings at left for dimensions.

RAZER (RZ)

THREADED STEM MODELS

FREE SWIVEL • TOTAL LOCK



Grey TPR Wheel Model (TPP)



Grey Rubber Wheel (GRP)

APPLICATIONS

- Laundry Hampers
- Mobile Hospital Furniture
- Bassinets
- Hospital
- Chairs/ Recliners
- Home Healthcare Beds

FEATURES

- Economical
- Polished chrome finish
- Double ball swivel raceways for added strength
- **Total Lock Brake** models lock both swivel and wheel
- Full thread guards for added protection (except 2" diameter models)

THREADED STEM MODELS

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|-----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02GRN-070-SW-_____ |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 1.95" (50) | Ball Bearing | RZ-02GRP-070-SW-_____ |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 1.95" (50) | Plain | RZ-02TPN-070-SW-_____ |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03GRP-090-SW-_____ |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 2.85" (73) | Ball Bearing | RZ-03TPP-090-SW-_____ |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04GRP-090-SW-_____ |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 3.35" (85) | Ball Bearing | RZ-04TPP-090-SW-_____ |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05GRP-090-SW-_____ |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 3.84" (98) | Ball Bearing | RZ-05TPP-090-SW-_____ |



THREADED STEM TOTAL LOCK MODELS

(LOCKS WHEEL AND SWIVEL)

| Wheel Diameter (Inches) | Tread Width (Inches) | Wheel Description | Capacity (Lbs) | Load Height Inches (mm) | Swivel Radius Inches (mm) | Wheel Bearing | Model Number |
|-------------------------|----------------------|-------------------|----------------|-------------------------|---------------------------|---------------|-----------------------|
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02GRN-070-TL-_____ |
| 2 | 3/4" | Grey Rubber | 110 | 2.75" (70) | 3.23" (82) | Ball Bearing | RZ-02GRP-070-TL-_____ |
| 2 | 3/4" | Grey TPR | 110 | 2.75" (70) | 3.23" (82) | Plain | RZ-02TPN-070-TL-_____ |
| 3 | 7/8" | Grey Rubber | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03GRP-090-TL-_____ |
| 3 | 7/8" | Grey TPR | 140 | 3.98" (101) | 3.90" (104) | Ball Bearing | RZ-03TPP-090-TL-_____ |
| 4 | 7/8" | Grey Rubber | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04GRP-090-TL-_____ |
| 4 | 7/8" | Grey TPR | 160 | 4.84" (123) | 4.19" (107) | Ball Bearing | RZ-04TPP-090-TL-_____ |
| 5 | 7/8" | Grey Rubber | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05GRP-090-TL-_____ |
| 5 | 7/8" | Grey TPR | 165 | 5.95" (151) | 4.19" (107) | Ball Bearing | RZ-05TPP-090-TL-_____ |




THREADED STEM FITTINGS

See fittings page for more options.

TS06



TS15



TS25



Specify Threaded Stem (TS) code, see fittings at left for dimensions: